

DHL39

39" Full-HD LCD Monitor



Features

- Industrial Level DID LCD panel, suitable for 7*24 continuous works.
- High contrast and high brightness greatly enhance the video layer, and present the details of the video.
- FHD 1920×1080 resolution, brilliant and vivid video.
- Build-in 3D COMB filter and 3D Noise Reduction
- Auto Motion-blur elimination to extend LCD lifespan
- Abundant interfaces, support video loop
- Remote control, software dual control, support remote PC centralized control
- Support Point-to-Point remote control, solve the multiple large-screen video wall control perfectly
- Intelligent brightness control, energy saving
- Using Tamper-proof metal housing, no radiation
- Professional thermal design to extend equipment lifespan
- Built-in power, low energy consumption, ultra-quiet

DHL39


Technical Specifications

Model	DHL39
System	
Diagonal	39"(16:9)
Type	TFT(FHD)
Backlight	LED
Resolution	1920×1080
Dot Pitch	0.14825(H)×0.14825(V)
Luminance(Standard)	600cd/m ²
Contrast	3500:1
Angle of view	176°/176°
Response Time(Grey Scale)	9.5ms
Gamut(CIE1931)	68%
Display Color	16.7M/8bit
Video & Audio	
Video Input	CVBS(BNC)×2
PC Signal	VGA(D-Sub)×1
Digital Signal	DVI-D×1 [1080P(1920×1080), downward compatible]
	HDMI×1 [1080P(1920×1080), downward compatible]
Audio Input	Optional
Audio Output	—
Loop Out	CVBS(BNC)×2
General	
Power Consumption (Standard)	120W
Power Consumption (Maximum)	150W
Power Consumption (Standby)	≤1W
Power Supply	AC100-240V~(+/-10%),50/60 Hz
Control Mode	RS232 Serial control , all way loop , infrared remote control
Bezel Color	Black
Gross Weight	15.2kg
Unit Dimensions(mm)	927.0×553.0×48.7
Active Screen area(mm)	856.0×487.0
Package Dimensions(mm)	1085×703×310
Frame Depth (mm)	45.0
Enclosure material	Metal
Installation Mode (all optional)	Base*、 Wall-mounted*、 TV-Wall*、 Ceiling*
Protective Glass/ Touch Screen	Optional

DHL39

Working Temperature	0°C~50°C
Working Humidity	20%~90%
Stock Temperature	-20°C~60°C
Average Lifespan	50 , 000 hours
Note : *means optional fitting	

Dimension



Dahua Technology Co., Ltd.

1187BinAn Road, Binjiang District, Hangzhou, China

Tel: +86-571-87688883

Fax: +86-571-87688815

Email: overseas@dahuatech.com

www.dahuasecurity.com

*Design and specifications are subject to change without notice.

© 2013Dahua Technology Co., Ltd.