


S7-BT M SF7-BT

Waterproof, IP66

Easy Access



Standalone Controller



Smartphone unlock

Waterproof IP66

(6)



Fingerprint unlock

R

1.000 Users





Send Temporary Password Remotely

Product Size:





Share Devices



View Opening Records



Add/Delete Fingerprint, Card, Password Users



EM Card

Metal case





Mini RFID / Keypad / Fingerprint Access









App Features

- User Management (Add / Delete Users by APP)
- Support Device Sharing / Send E-key to users
- Support Sending Temporary Password
- Support Super Admin, Admin and Common Users

The APP support 100 mobile users, and can manage 255 users (Fingerprint / PIN / Card) maximum by the APP.

- Support Setting Alarm Time
- Support Checking Opening History
- Support Gateway

- It's compatible with both iOS (7.0 above) and Android (4.3 above) basing on Bluetooth version 4.0 above.

	SF7-BT	S7-BT
User Capacity	1000 100 FP 900 EM /MifareCard	1000 EM/Mifare Card+PIN
Operating Voltage	9~18V DC	
Idle Current	50mA	
Active Current	80mA	
Proximity Card Reader Radio Technology Read Range	EM or Mifare 125KHz EM Card or 13.56MHz Mifare Card optional 2-4 cm	
Wiring Connections	Relay Output, Exit Button, Wiegand	
Relay	One (NO, NC, Common)	
Adjustable Relay Output Time	0-99 Seconds (5 seconds default)	
Lock Output Load	2 Amp Maximum	
Environment	Outdoor (IP66)	
Operating Temperature	-40°C~ 60°C (-40°F ~ 140°F)	
Operating Humidity	10%RH-90%RH	
Physical	Zinc-Alloy Enclosure	
Color	Silver & Black	
Dimensions	Diameter: 73mm, Thickness: 20mm	
Unit Weight	185g	
Shipping Weight	285g	

Secukey®

Powered by



Intelligence Inside